

## Maharashtra University of Health Sciences, Nashik

Following documents need to available on web site

**TrustDeed/Bylaws/RegistrationCertificate (Trust / Hospital (Bombay Nursing Act))****Faculty : Nursing.****Name of College/Institute: Dr.G.D.Pol Foundation's Institute of Nursing Education**

Name of Trust/ Society		
Registration Certificate <b>To be uploaded on web site clear and original copy</b>		Trust /Society:- <b>To be uploaded on web site</b>
		TrustDeed/Bylaws:- <b>To be uploaded on web site</b>
		Hospital Ownership Documents:-
		Hospital (BombayNursingAct):- <b>To be uploaded on web site</b>
		MPCB Certificate of Parent Hospital :- <b>To be uploaded on web site</b>
Hospital Type as Per Bombay Nursing Act :- Parent /Own		
Hospital (BombayNursingAct) issuing Authority :-Panvel Municipal Corporation		
Hospital Bed as per Certificate:- 120 and 450		
Name of the College/Institute (As per First Affiliation letter)	:	Dr. G.D.Pol Foundation College of Nursing
Address	:	Institutional Area, Sector-4, Kharghar, Navi Mumbai-410210
EmailID	:	ymtnursing@gmail.com
Telephone/Mobile No.(s)	:	022-27745288/ 9967771768
Website	:	Ymynursing.org
College Code	:	151141

**Here by I declare all relevant document uploaded are clear and visible on web site & are true as per my best knowledge**

**AnyOther,PleaseSpecify:-**

---



---



---



---



---


**Date:- 1/02/2025**

Chairman of LIC

Member Of LIC

**Dean/Principal Stamp & Signature**

PRINCIPAL  
DR. G. D. POL FOUNDATION'S  
INSTITUTE OF NURSING EDUCATION  
INSTITUTIONAL AREA, MEMBER OF LIC  
MUMBAI - 410210



महाराष्ट्र MAHARASHTRA

2023

66AA 921272



### MEMORANDUM OF UNDERSTANDING

This MEMORANDUM OF UNDERSTANDING (MOU) entered on the day of 15/01/2022 between Dr. G.D.Pol Foundation's College of Nursing, Sector-4, Institutional Area, Kharghar, Navi Mumbai 410210.

&

Dr. G.D.Pol Foundation's General Hospital Plot no.16,16A, 18,Sector-4, Institutional Area, Sector-4,Khaghar, Navi Mumbai-410210.

This MEMORANDUM OF UNDERSTANDING (MOU) of set for the term and understanding between Dr.Shailaja K. Date Authorised Signatory Dr.G.D.Pol Foundation's College of Nursing.

&

Dr. Sarang Nalawade Medical Director Dr. G.D.Pol Foundation's General Hospital to provide clinical field for clinical experience for the student of B.Sc. & P.B.B.Sc Nursing from A.Y. 2022-23 onwards.







: 2 :

1. Dr. G.D.Pol Foundation's College of Nursing is agreed to abide with the policies terms & condition applicable during the clinical experience.
2. The lecturers & clinical instructor of Dr.G.D.Pol Foundation's College of Nursing will accompany the student to supervise and will be responsible for safe efficient practise of Nursing care by the Nursing students.
3. The clinical rotation plan & objectives will be submitted to authority before start the posting.
4. MOU is not commencement of funds; both the partners are not liable to take any charges.
5. The patient's safety and policy, protocol of the Hospital should be abided by the student for all the time during their posting.

**Communication Address :-**

**Dr.G.D.Pol Foundation's**  
Institutional Area, Plot no.16,16A,18  
Sector-4,Kharghar, Navi Mumbai

In witness whereof the parties here to have signed the Memorandum of Understanding (MOU) for Dr.G.D.Pol Foundation's General Hospital & Nimisha P.M. Foundation Dr.G.D.Pol Nursing College.

<b>Dr. Sarang Nalawade</b> <b>Medical Director</b> <b>Dr.G.D.Pol Foundation</b> <b>General Hospital</b> Institutional Area, Plot.no.16,16A,18,Sector- 04, Kharghar, Navi Mumbai	 Medical Superintendent Dr. G. D. Pol Foundation General Hospital Plot no. 18, Institutional Area, Sec.- 4, Kharghar, Navi Mumbai - 410 210
<b>Dr. Shailaja K.Date</b> <b>Authorised Signatory</b> <b>Dr. G.D.Pol Foundation's College of Nursing</b> Institutional Area, Sector-4, Kharghar, Navi Mumbai	 PRINCIPAL DR. G. D. POL FOUNDATION COLLEGE OF NURSING KHARGHAR, NAVI MUMBAI-410210.



**ATTESTED BY ME**

*Phule*  
*24/7/23*

**REKHA KISHOR HOWALE**  
Advocate & Notary Public,  
Shop No. 13, Prabhat Center,  
Sector-1, CBD Belapur,  
Mob. 8369017363  
Reg. No. 15074

**24 JUL 2023**

# PANVEL CITY MUNICIPAL CORPORATION



## Certificate Of Registration

(Under Bombay Nursing Home Registration (Amendment) Act 2005 Under Section 5)

This is certify that Dr. Gajanan Dattatraya Pol B.A.M.B.S LCP&S No I 890

has been registered under The Bombay Nursing Home Registration (Amendment) Act

2005 in Respect of Nimisha PM foundation Dr. G.D.B.I Medical Collage, Hospital

situated at Plot no 19 Institutional Area Sect 4 Kharghar 410210 Panvel City

Municipal Corporation and has been authorised to carry on said Nursing Home

Registration No. MH/PMC/H- 238

Date of Registration 01/04/2024

Place P.M.C

Date of issue 31/03/2024

### Terms and Conditions

Facility - MTP Regd. No. 111 TL Regd. No. 111 / PCPNDT Regd. No. 129

- 1) Certificate is valid upto 31 / 03 / 2027
- 2) No. of indoor patients Sanctioned 450 Maternity Bed 50 2) ICU Bed 20 3) NICU Bed — Total Bed 450 bed
- 3) There should not be any nuisance or health hazards to the neighboring residents Other 380 bed
- 4) Hospital waste should be disposed off as per the Biomedical Waste Act, 1998
- 5) Hospital waste should not be thrown in community dustbins or anywhere in open space.
- 6) All necessary NOC required from various department should be renewed regularly.
- 7) It is necessary to obtain relevant Registration / Licences required under various act applicable to hospital
- 8) Registration should be renewed every three year in the month of March as per the Bombay Nursing Home Registration (Amendment) Act 2005.
- 9) It is mandatory to submit information / report as desired by PCMC
- 10) The Registration is liable to be evoked on violation of any of above condition.



Gajanan Dattatraya Pol  
Local Supervising Authority Cum  
Medical Officer of Health  
Panvel Municipal Corporation

# PANVEL CITY MUNICIPAL CORPORATION



## Certificate Of Registration

(Under Bombay Nursing Home Registration (Amendment) Act 2005 Under Section 5)

This is certify that Dr. G.D.Pol B.A.M.S Rno-I-8909

has been registered under The Bombay Nursing Home Registration (Amendment) Act

2005 in Respect of Dr. G. D. Pol Foundation Y.M.T Dental College & Charitable General Hospital

situated at Plot no 18 Sect 4 Institutional Area Chorghare Panvel City

Municipal Corporation and has been authorised to carry on said Nursing Home

Registration No. MH/PMC/H-172

Date of Registration 06/05/2022

Place P.M.C

Date of issue 06/05/2022

### Terms and Conditions

- 1) Certificate is valid upto 31 / 03 / 2025 other 100
- 2) No. of indoor patients Sanctioned 120 Maternity Bed - 20 / ICU Bed - — / NICU Bed / Total Bed 120
- 3) There should not be any nuisance or health hazards to the neighboring residents
- 4) Hospital waste should be disposed off as per the Biomedical Waste Act, 1998
- 5) Hospital waste should not be thrown in community dustbins or anywhere in open space.
- 6) All necessary NOC required from various department should be renewed regularly.
- 7) It is necessary to obtain relevant Registration / Licences required under various act applicable to hospital
- 8) Registration should be renewed every three year in the month of March as per the Bombay Nursing Home Registration (Amendment) Act 2005.
- 9) It is mandatory to submit information / report as desired by PCMC
- 10) The Registration is liable to be evoked on violation of any of above condition.



[Signature]  
Medical Officer of Health  
Panvel City Municipal Corporation  
Panvel City Municipal Corporation

# MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437  
Fax: 24023516  
Website: <http://mpcb.gov.in>  
Email: [cac-cell@mpcb.gov.in](mailto:cac-cell@mpcb.gov.in)



Kalpataru Point, 2nd and  
4th floor, Opp. Cine Planet  
Cinema, Near Sion Circle,  
Sion (E), Mumbai-400022

RED/L.S.I

No:- Format1.0/CAC/UAN No.0000138018/CR/2303001812

Date: 24/03/2023

To,  
Dr. G. D. POL FOUNDATION,  
Plot No. 16, 16A, 18, Sector 4, Kharghar,  
Tal. Panvel, Dist. Raigad.  
Email: [aodrgdpol@gmail.com](mailto:aodrgdpol@gmail.com)  
Contact No.: 8291262377



Your Service is Our  
Duty

*Grant of Renewal of combine Consent and BMW Authorization (CCA) with increase in CI under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.*

- Ref:
1. Previous Combine Consent and Bio-Medical Authorization granted by the Board vide dated 16.05.2019 which was valid up to 31.12.2020.
  2. Your application for Combine Consent and Bio-Medical Authorization vide UAN No. 138018, dated 29.04.2022.
  3. The minutes of Consent Appraisal Committee meeting dated 09.03.2023.

After examining the proposal, The Maharashtra Pollution Control Board hereby Renew Combined Consent and BMW Authorization to HCF under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 and Authorization under Rule 3 of the Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedules(I-IV) and Annexures (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **31-12-2020 To 31-12-2025**
2. The capital investment of the HCF is **₹7682.76 Lakhs** (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 28972.00 M<sup>2</sup> with Built-up area 24207.00 M<sup>2</sup>.
4. **Activities Included**
  - a. Total Number of Beds : **440 Nos.** (As per BNH certificate no. MH/PMC/H-172, 173, 174 valid upto 31-03-2023)
    - I. General Beds : **380 Nos**
    - II. Maternity Beds : **60 Nos**
5. **Conditions under the Water (P&CP) Act, 1974:-**
  1. Quantity of total water consumption shall not exceed 181.00 M<sup>3</sup>/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.

Principal  
Yashwantrao Chavan Pratishthan  
Mumbai, Sector - 4,  
Raigad Number - 410 210

2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

**6. Conditions under the Air (P&CP) Act, 1981:-**

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

**7. Conditions under Hazardous and Other Wastes (Management, Handling & Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-**

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No.	Type of Waste	HW Category no.	Quantity	UOM	Disposal
1.	5.1 Used or spent oil	5.1	50	Ltr/A	Sale to authorized recycler
2	35.3 Chemical sludge from waste water treatment	35.3	10	Kg/M	CHWTSDF

**8. Conditions under Solid Waste Management rules 2016**

1. You shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

**9. Conditions under BMW Management rules, 2016 (As Amended):-**

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to **BMW T&D CTF Mumbai Waste Management Ltd, Taloja, Navi Mumbai** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on [www.cpcb.nic.in](http://www.cpcb.nic.in) along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" ([www.cpcb.nic.in](http://www.cpcb.nic.in)).

  
Principal

10. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
17. HCE shall properly operate the ETP & STP to achieve the consented norms.
18. HCE shall submit BGS as per HCE BG regime.

This consent is issued as per communication letter dated 03/11/2022 which is approved by competent authority of the board.



*[Handwritten signature]*



Signed by: Dr. Y.S. Sontakar  
 Joint Director (WPC) & In Charge Of CAC-Cell  
 For and on behalf of  
 Maharashtra Pollution Control Board  
 m-cb-ell@mpcb.gov.in  
 2023-03-24 11:00:56 IST

**Received Consent/Authorization fee of -**

Sr.No.	Amount (Rs.)	Transaction/DR.No.	Date	Transaction Type
1	375000.00	MPCB-DR-11933	17/05/2022	NEFT
2	627877.00	TXN2303003426	21/03/2023	Online Payment
3	700000.00	TXN2303003424	21/03/2023	Online Payment
4	45000.00	TXN2205001313	11/05/2022	Online Payment

Copies to:

1. Regional Officer, MPCB, Raigad and Sub-Regional Officer, MPCB, Raigad I
- They are directed to ensure the compliance of the consent conditions.
- SRO They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai
3. Jt. HC - for records & website updating purpose.
4. CAC Desk - for records & updation purposes

*[Handwritten signature]*  
 Principal  
 Y.M.T. SCHOOL OF NURSING



## Conditions under Water (P &amp; CP), 1974 Act: (Refer Condition No. 5)

## A. Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	175.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	6.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

## B. Conditions for Sewage &amp; Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	140	As per clause 'C'	Recycle to maximum extent & remaining on land for gardening
2	Trade effluent	5.0	As per clause 'C'	As above

## C. You shall provide the combined waste water treatment plant of adequate design and capacity to treat all domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1985 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable Limits shall be given in mg/l except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C)	30
4	COD	100
5	Total Suspended Solids	100
6	Bioassay Test	90 % survival of fish after 96 hours in 100 % effluent

- D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E. You shall provide Primary/Secondary/tertiary treatment system and disinfection facility.
- F. The Applicant shall obtain prior consent of the Board in two steps for Expansion/Modification of an effluent and disposal system or an extension or a new discharge.
- G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.

**Annexure - II**

**Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)**

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
1	DG Set 320 KVA	HSD	67.20 Kg/Hr	4.50

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
  - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
  - You shall make efforts to bring down noise level due to DG set, outside industrial premises within ambient noise requirements by proper siting and control measures.
  - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
  - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
  - D.G. Set shall be operated only in case of power failure.
  - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
  - The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

  
 Principal  
 J.M.T. SCHOOL OF NURSING  
 KRISHNA TOWER - A,  
 NEW MARKET - 410 212.



### Responsibilities of the Health Care Facility

### SCHEDULE-II

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Mumbai Waste Management Ltd, Talaja, Navi Mumbai** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical waste.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Raigad and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

  
Pratiksha

Y.M.T. SCHOOL OF NURSING

Navi Mumbai - 411 214

**SCHEDULE-III****Bank Guarantees**

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
<b>1A</b>	<b>Operation and Maintenance</b>		
1	To Segregate and Handle BMW as per Rule	Continuous	50,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	50,000.00
<b>1B</b>	<b>Records</b>		
1	To Maintain records of BMW and submission of Annual Report in Form -IV before 31st June of every year	Continuous	25,000.00
2	To maintain records of BMW material delivered to CBMWTSDF	Continuous	25,000.00
<b>2</b>	<b>Performance</b>		
1	To provide BMW separate storage facility as per guidelines of CPCB	Continuous	50,000.00
<b>Total</b>			<b>2,00,000.00</b>

**Note:** You shall extend the previously submitted Bank Guarantee valid upto the validity of this CCA + 4 months additional.

  
 Principal  
 Y.M.T. SCHOOL OF NURSING  
 Kharghar, Sector - 4,  
 New Mumbai - 410 210

**General Conditions**

**The following general conditions shall apply:-**

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Raigad.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.

  
Principal

Y.M.T. SCHOOL OF NURSING  
Kharjur, Sector - 4,

13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.
14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant.
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

---

This certificate is digitally & electronically signed.

---



  
Principal  
Y.M.T. SCHOOL OF NURSING  
Kirti Nagar Sector - 4,  
New Gurgaon - 110 210.

(1)

Part I T 348 I

[ विशेष-व. व्या. (मु. स. वि.) रूप ]



### नोंदणीचे प्रमाणपत्र

घाटारे प्रमाणपत्र देण्यात येते की, खाली वर्णन केलेली सार्वजनिक विद्वत्तावस्था ही अलि, मुंबई सार्वजनिक विद्वत्तावस्था अधिनियम, १९५० (सन १९५० वा मुंबई अधिनियम क्रमांक २९) वा अन्वये वृहन्मुंबई विभाग, मुंबई येथील सार्वजनिक विद्वत्तावस्था नोंदणी कार्यालयात योग्य रीतीने नोंदण्यात आलेली आहे.

सार्वजनिक विद्वत्तावस्थाचे नाव: "डॉ. जी. डी. पोल

फाउंडेशन" परिसर, मुंबई

सार्वजनिक विद्वत्तावस्थाच्या नोंदणी पुस्तकातील क्रमांक ई-१२१४२ (मुंबई)

डॉ. जी. डी. पोल यांचे प्रमाणपत्र दिले.  
२३/४/०२



**PRINCIPAL**  
**DR. G. D. POL FOUNDATION**  
**COLLEGE OF NURSING**  
**KHARGHAR, NAVI MUMBAI-410210.**

हस्ताक्षर  
मा. म. गावंडे  
पदनाम  
सहायक धार्मिक शाश्वत  
वृहन्मुंबई विभाग, मुंबई

Principal  
Y.M.T SCHOOL OF NURSING  
Kharghar, Sector-4,  
Navi Mumbai - 410 210.  
Principal  
Y.M.T SCHOOL OF NURSING  
Kharghar, Sector-4,  
Navi Mumbai 410210

Principal  
Y.M.T SCHOOL OF NURSING  
Kharghar, Sector-4,  
Navi Mumbai 410210

327

390